## ARIA Behavioral Health Tier Logic: Adults and Children

## Adults: >=18 years of age

Below summarizes the way your tier result was determined.

- <u>Tier 1</u> means that you did not meet the criteria for the more intensive services available in a Tier 2 or Tier 3. You are still eligible to receive Counseling and Medication Management Services.
- <u>Tier 2</u> means that you scored high enough in certain behaviors (specific behaviors listed in the table below) to be eligible for more intensive **non**residential services to help you function in a community setting and move towards recovery. The scores you receive are based primarily on the type of help you need <u>and</u> how frequently you need it.
- <u>Tier 3</u> means that you scored high enough in certain behaviors (specific behaviors listed in the table below) to be eligible for the most intensive level of services, **including 24 hours a day/7 days a week residential services**, to help you move towards reintegrating back into the community. The scores you receive are based primarily on the type of help you need <u>and</u> how frequently you need it.

	Tier 1 – Counseling and Medication Management Services	Tier 2 – Counseling, Medication Management, and Support Services	Tier 3 – Counseling, Medication Management, Support, and Residential Services	
Criteria that will Trigger Tiers				
	Does not meet criteria of Tier 2 or Tier 3	Mental Health Diagnosis Score of 4	Mental Health Diagnosis Score of 4	
		AND	AND	
		Intervention Score of 1 or 2	Intervention Score of 3 or 4	
		in any ONE of the following Psychosocial	in any ONE of the following Psychosocial	
		Subdomains:	Subdomains:	
		Injurious to Self	Injurious to Self	
F		Aggressive Toward Others, Physical	Aggressive Toward Others, Physical	
3ehavior		Aggressive Toward Others, Verbal/Gestural	Aggressive Toward Others, Verbal/Gestural	
eha		Socially Unacceptable Behavior	Socially Unacceptable Behavior	
ă		Property Destruction	Property Destruction	
		Wandering/Elopement	Wandering/Elopement	
		PICA	PICA	

OR	
Mental Health Diagnosis Score of 4	
AND	
Intervention Score of 3 or 4	
AND	
Frequency Score of 4 or 5	
in any ONE of the following Psychosocial	
Subdomains:	
Difficulties Regulating Emotions	
Susceptibility to Victimization	
Withdrawal	
Agitation	
Impulsivity	
Intrusiveness	
<u>OR</u>	
Mental Health Diagnosis Score of 4	
AND	
Intervention Score of 1, 2, 3 or 4	
AND	
Frequency Score of 1, 2, 3, 4 or 5	
In the following Psychosocial Subdomain:	
Psychotic Behaviors	
<u>OR</u>	
Mental Health Diagnosis Score of 4	
AND	
Intervention Score of 4	
AND Frequency Score of 4 or 5	
Frequency Score of 4 or 5 in the following Psychosocial Subdomain:	
Manic Behaviors	
OR OR	
Mental Health Diagnosis Score of 4	
AND	
PHQ-9 Score of 3 or 4	
(Moderately Severe or Severe Depression)	
(inductately severe of severe Depression) OR	
Geriatric Depression Score of 3 (>=10)	
Mental Health Diagnosis Score of 4	
AND	
Substance Abuse or Alcohol Use Score of 3	

## Children: <= 17 years of age

Below summarizes the way your tier result was determined.

- <u>Tier 1</u> means that you did not meet the criteria for the more intensive services available in a Tier 2 or Tier 3. You are still eligible to receive Counseling and Medication Management Services.
- <u>Tier 2</u> means that you scored high enough in certain behaviors (specific behaviors listed in the table below) to be eligible for more intensive **non**residential services to help you function in a community setting and move towards recovery. The scores you receive are based primarily on the type of help you need <u>and</u> how frequently you need it.
- <u>Tier 3</u> means that you scored high enough in certain behaviors (specific behaviors listed in the table below) to be eligible for the most intensive level of services, **including 24 hours a day/7 days a week residential services**, to help you move towards reintegrating back into a community setting. The scores you receive are based primarily on the type of help you need <u>and</u> how frequently you need it.

	Tier 1 – Counseling and Medication Management Services	Tier 2 – Counseling, Medication Management, and Support Services	Tier 3 – Counseling, Medication Management, Support, and Residential Services
		Criteria that will Trigger Tiers	
	Does not meet criteria of Tier 2 or Tier 3	Mental Health Diagnosis Score >= 2	Mental Health Diagnosis Score >=2
		AND	AND
		Injurious to Self:	Injurious to Self:
		Intervention Score of 1, 2 or 3	Intervention Score of 4
		AND	AND
		Frequency Score of 1, 2, 3, 4 or 5	Frequency Score of 1, 2, 3, 4 or 5
		OR	OR
		Mental Health Diagnosis Score >=2	Mental Health Diagnosis Score >=2
Behavior		AND	AND
hav		Aggressive Toward Others, Physical:	Aggressive Toward Others, Physical:
Be		Intervention Score of 1, 2 or 3	Intervention Score of 4
		AND	AND
		Frequency Score of 1, 2, 3, 4 or 5	Frequency Score of 2, 3, 4 or 5
		OR	OR
		Mental Health Diagnosis Score >=2	Mental Health Diagnosis Score >=2
		AND	AND
		Intervention Score of 3 or 4	Psychotic Behaviors:
		AND	Intervention Score of 3 or 4
		Frequency Score of 2, 3, 4, or 5	AND

	in any ONE of the following Psychosocial	Frequency Score of 3, 4 or 5
	Subdomains:	, , ,
	Aggressive Toward Others, Verbal/Gestural	
	Wandering/Elopement	
	OR	
	Mental Health Diagnosis Score >=2	
	AND	
	_Intervention Score of 2, 3 or 4	
	AND	
	Frequency Score of 2, 3, 4, or 5	
	in any ONE of the following Psychosocial	
	Subdomains:	
	Socially Unacceptable Behavior	
	Property Destruction	
	OR	
	Mental Health Diagnosis Score >=2	
Behavior	AND	
	Intervention Score of 3 or 4	
	AND	
	Frequency Score of 3, 4, or 5	
ehi	in any ONE of the following Psychosocial	
8	Subdomains:	
	Difficulties Regulating Emotions	
	Susceptibility to Victimization	
	Withdrawal	
	Agitation	
	Impulsivity	
	Injury to Others, Unintentional	
	Anxiety	
	Manic Behaviors	
	Montol Health Discusses Courses 2	
	Mental Health Diagnosis Score >=2	
	AND	
	PICA:	
	Intervention Score of 4	

OR	
Mental Health Diagnosis Score >=2	
AND	
Intrusiveness:	
Intervention Score of 3 or 4	
AND	
Frequency Score of 4 or 5	
<u>OR</u>	
Mental Health Diagnosis Score >=2	
AND	
Psychotic Behaviors:	
Intervention Score of 1 or 2	
AND	
Frequency Score of 1 or 2	
<u>OR</u>	
Mental Health Diagnosis Score >=2	
AND	
Psychosocial Subdomain Score >=5 and <=7	
AND	
Pediatric Symptom Checklist Score >15	